


## BLANKE ELOTOP+

The latest generation of electric underfloor heating. BLANKE ELOTOP+ is suitable for use as the main heating system as well as a supplementary heating to provide perfect temperature control of all tile and natural stone coverings - including in wet areas such as in floor level showers. Thanks to the integrated temperature sensor in each individual room it is easily possible to regulate the desired temperature to suit your needs. When renovating or refurbishing there is no need to extend the central heating system at huge cost, because it is possible to install the BLANKE ELOTOP+ retrospectively and without any difficulty during renovation work.



### BLANKE ELOTOP+ 160 W/m<sup>2</sup>

COMPLETE SET (DIGITAL TOUCH THERMOSTAT; PROTECTIVE SLEEVE FOR THE TEMPERATURE SENSOR, LENGTH 2 m; TEMPERATURE SENSOR, LENGTH 2 m)

Width: 0.5 m PU: 1 set

m <sup>2</sup>	l in m	Art. no.	€/PU
1.00	2.0	230-900-0500200	329.42
1.50	3.0	230-900-0500300	366.50
2.00	4.0	230-900-0500400	394.10
2.50	5.0	230-900-0500500	421.80
3.00	6.0	230-900-0500600	456.81
4.00	8.0	230-900-0500800	515.76
5.00	10.0	230-900-0501000	605.20
6.00	12.0	230-900-0501200	677.81



### BLANKE ELOTOP+ 160 W/m<sup>2</sup>

INDIVIDUAL MATS INCLUDING PROTECTIVE SLEEVE

Width: 0.5 m PU: 1 roll

m <sup>2</sup>	l in m	Art. no.	€/PU
1.00	2.0	225-900-0500200	160.58
1.50	3.0	225-900-0500300	197.65
2.00	4.0	225-900-0500400	225.25
2.50	5.0	225-900-0500500	252.97
3.00	6.0	225-900-0500600	287.97
4.00	8.0	225-900-0500800	346.94
5.00	10.0	225-900-0501000	436.36
6.00	12.0	225-900-0501200	508.98
7.00	14.0	225-900-0501400	526.08
8.00	16.0	225-900-0501600	605.80
9.00	18.0	225-900-0501800	634.60
10.00	20.0	225-900-0502000	693.00
12.00	24.0	225-900-0502400	786.38
15.00	30.0	225-900-0503000	947.79

**Important note:**

BLANKE ELOTOP+ is VDE approved - the guarantee for a safe and high-quality product.

## ACCESSORIES

### BLANKE ELOTOP+ REPAIR SET

PU: 1 set

Art. no.	€/PU
227-900	34.93

### BLANKE ELOTOP+ ANALOGUE THERMOSTAT\*

PU: 1 pc.

Art. no.	€/PU
235-900	125.60

### BLANKE ELOTOP+ DIGITAL TOUCH THERMOSTAT\*

PU: 1 pc.

Art. no.	€/PU
226-900-T	168.84



\*including temperature sensor

**Perceptible warmth in the briefest of time**

BLANKE ELOTOP+ produces particularly pleasant warmth, perceptible in the briefest of time.

**Individually adaptable to any floor plan**


It is possible to lay BLANKE ELOTOP+ over the whole or part of a surface to suit your needs in each individual room.

**Perfect for renovations**


Thanks to the low installation height BLANKE ELOTOP+ is ideal for all types of refurbishments.

**No electromagnetic pollution, suitable for allergy sufferers**

Rooms are heated gently from bottom to top, so no allergens are whirled up.




**BLANKE ELOTOP+ LAID 90° AROUND A CORNER**



**BLANKE ELOTOP+ LAID TURNED BACK BY 180°**





■ BLANKE ELOTOP+ LAID OVER THE WHOLE SURFACE ■ BLANKE ELOTOP+ LAID IN PART OF SURFACE AREA

#### TECHNICAL DATA

Voltage:	230 VAC
Output, mat:	160 W/m <sup>2</sup>
Output pipe:	max. 12 W/m
Width of mat:	0.50 m
Size of pipe:	Ø 3.0 mm
Bending radius:	min. 30 mm
Nominal temp. limit:	+80°C
Protective measure:	RCD: 30 mA
Fusing:	10 A (B characteristic)
Connection cable:	4.00 m
Test voltage:	2.000–4.000 V
Backing material:	Glass fibre mesh, self-adhesive

