



FÜR HANDWERK, DAS ÜBERZEUGT.


BLANKE AQUA PROFILE

Perfection for floor-level showers




BLANKE
AQUA-GLASS 

BLANKE
AQUA-DEKO 

BLANKE AQUA-KEIL
BLANKE AQUA-KEIL WALL 

BLANKE AQUA-
KEIL GLASS 



BLANKE AQUA-KEIL in Stainless Steel; brushed, satin finish, chrome-plated or black mat



The perfect gradient surface detail solution for connection to linear drainage systems: The BLANKE AQUA-KEIL. The stainless steel gradient edge is available for both left and right applications.

Length in m:	0,98	1,48	2,00
h1 in mm:	8,00	10,00	12,50
h2 in mm:	24,00	32,00	40,00


BLANKE AQUA-KEIL GLASS in Stainless Steel; brushed, satin finish, chrome-plated or black mat



Equipped with a profile for the intake of glass partition walls (e.g. linear drainage systems) the BLANKE AQUA-KEIL GLASS allows the formation of a gradient edge for elegant designer floor-level showers.

Length in m:	0,98	1,20	1,48	2,00
h in mm:	34,00	37,00	42,00	60,00

BLANKE AQUA-KEIL WALL in Stainless Steel; brushed, satin finish, chrome-plated or black mat




The BLANKE AQUA-KEIL WALL, slope edge made of stainless steel for the perfect detail solution on gradients surfaces for connection to walls with linear drainage systems. Available for left and right versions.

Length in m:	0,98	1,48	2,00
h1 in mm:	8,00	10,00	12,50
h2 in mm:	24,00	32,00	40,00

- Advantages
- The complex diagonal cut of the wall tiles is omitted
 - Other gradient sizes implemented by different tile thicknesses
 - Version for left and right connections
 - Easiest installation by 2 % gradient

BLANKE AQUA-GLASS in Stainless Steel; brushed, satin finish, chrome-plated or black mat



The glass fixation profile BLANKE AQUA-GLASS, enables easy and elegant installation of glass walls on walls and floors with no drilling and cutting of tiles. Compared to the conventional approach, a destructive free and waterproof fixing is guaranteed.

Length in m:	2,10
h1 in mm:	25,00
h2 in mm:	12,00

- Advantages
- Easy installation without cutting tiles - Blanke•AQUA-GLASS uses the joint width for a secure connection.
 - Installation without drilling - compared to the conventional approach, a destructive free and waterproof fixing is guaranteed.
 - Can be used on the wall as well as floor areas, on the surface or in corner situations - with profile!
 - A thought-through detail solution creates a timeless, elegant design with high quality stainless steel.

BLANKE AQUA-DEKO in Stainless Steel; brushed, satin finish, chrome-plated or black mat



BLANKE AQUA-DEKO is an elegant end above the drain in the design of floor-level showers. More tile cuts are avoided and the shower gets a pleasant, uniform appearance.

Length in m:	1,25	1,25	1,25
h in mm:	24,00	32,00	40,00

- Advantages
- Elegant end for floor-level showers
 - Avoids cutting more tiles
 - Gives a highly uniform appearance

Stainless steel surfaces in comparison




For typographical reasons, the shown colours and structures may differ from the original surfaces.



Polished with high gloss

Satin, matte black, brushed or gloss is still a matter of personal taste when it comes to the optical impression of a complete bathroom. The continuous unity of fittings, profiles and other accessories also still plays a crucial and creative role. With the BLANKE AQUA PROFILES, perfected functionality is combined with stylish profiles and allows for a large range of options catering to the customers wishes.



Detailed solutions with profiles

A beautifully shaped and elegant linear drainage system excels in the shower area. The special Blanke advantage comes from the high-quality end and transition profiles. For floor-level showers in a private wellness oasis, for modern hotel rooms or for use in applications by visionaries, this system is simply the best choice. Perfection in timeless design and sophisticated technology.



Consulting and Sales:

Blanke GmbH & Co. KG
Stenglingser Weg 68 - 76
58642 Iserlohn / Germany
T +49 (0)2374 507-0
F +49 (0)2374 507-4230
E info@blanke-systems.de
I www.blanke-systems.de



DRUBE0034